

NATURAL RESOURCES PROGRAM

SPACE APPLICATIONS PROGRAMS

TECHNICAL LETTER NASA . 24

U.S. Geological Survey

Department of the Interior



UNITED STATES DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY WASHINGTON, D.C. 20242

Technical Letter NASA-24 May 1966

Dr. Peter C. Badgley Chief, Natural Resources Program Office of Space Science and Application Code SAR, NASA Headquarters Washington, D.C. 20546

Dear Peter:

Transmitted herewith are 3 copies of:

TECHNICAL LETTER NASA-24

PHOTOGEOLOGIC INTERPRETATION OF GEMINI IV

COLOR PHOTOGRAPHY: BAJA, CALIFORNIA*

by

Rowland Tabor**

Sincerely yours,

William A. Fischer

Ma Zaseh

Research Coordinator for

USGS/NASA Natural Resources Program

UNITED STATES DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

TECHNICAL LETTER NASA-24

PHOTOGEOLOGIC INTERPRETATION OF GEMINI IV

COLOR PHOTOGRAPHY: BAJA, CALIFORNIA*

by

Rowland Tabor**

May 1966

These data are preliminary and should not be quoted without permission

Prepared by the Geological Survey for the National Aeronautics and Space Administration (NASA)

*Work performed under NASA Contract No. R-09-020-015 **U.S. Geological Survey, Menlo Park, California

DISTRIBUTION LIST

			0	
NASA Headquarters, D.C.			Copies	
Miss Winnie Morgan, Technical Reports Officer Dr. Peter C. Badgley, Program Chief Theodore A. George			2 2 1	
NASA/MSC-Houston				
Leo F. Childs, Chairman, Aircraft Coordination Ed Zeitler, Data Center			1 20	
Authors			10	
USGS/Washington	Copies	USGS/Denver		
William T. Pecora Research Coordinator Remote Sensing Evaluation and Coordination Staff (RESECS) Chief Geologist Associate Chief Geologist Assistant Chief Geologists (4) Chief Hydrologist Chief Topographic Engineer Discipline Coordinators (4) Jules MacKallor William Hemphill Allen Heyl Robert Moxham Alan Kover David Southwick Isidore Zietz Stephen J. Gawarecki Washington Library Denver Library Menlo Library	1 2 2 1 1 4 1 1 1 1 1 1 1 1	Arthur B. Campbell Robert L. Christiansen David F. Davidson Ross B. Johnson Daniel R. Shawe Robert H. Morris Tom Hendricks USGS/Flagstaff Gerald S. Schaber US Dept. of Agriculture A.B. Park US Air Force J.F. Cronin (AFCRL)		
USGS/Menlo Park		A.G. Alexiou (NAVOCEANO)	1	
Ernest H. Lathram Hal T. Morris Robert E. Wallace Edward W. Wolfe George Gryc Max Crittenden Parke Snavely, Jr.	1 1 1 1 1	Other Cooperating Invest: R.N. Colwell, Univ. Cali J. Lintz, Univ. Nevada R.J.P. Lyon, Stanford Uni D.B. Simonett, Univ. Kans E.H.T. Whitten, Northwest William Vest, IITRI, D.C. NAS/NRC Advisory Comm.	f iv. sas tern Uni	1 1 1

PHOTOGEOLOGIC INTERPRETATION OF GEMINI IV

COLOR PHOTOGRAPHY: BAJA, CALIFORNIA

by

Rowland Tabor

Introduction

The color photographs from Gemini IV were taken with a hand held Hasselblad camera with a focal length of 80 mm (f 2.8). The space vehicle was about 180 miles above the surface of the earth when passing over Baja, California and the photographic prints, used in this study, have a scale of about 1:640,000.

The photograph selected for the study (fig. 1) is essentially vertical, has no obscuring clouds and is centered over a desert area in Baja, California. Geologic features are well displayed.

Making the Interpretive Map

Conventional photogeologic methods were employed to convert the photograph into a geologic map (fig. 2). The major rock units were traced directly from the photograph, but the interpretation was made with a stereopair under magnification.


Evaluation of the Interpretation

The writer has no specific knowledge of the geology of Baja, California, and the units were named after comparing the interpretive map with the Geologic Map of North America (scale 1:5,000,000 1965 ed.) and a geologic map by C.H. Beal (Geol. Soc. America Memoir 31, pl. 1, 1948). P.B. King of the U.S. Geological Survey identified the Aqua Blanca fault on the photograph. According to the reference maps the gross picture of young volcanic rock overlying the eastern edge of a granitic highland is correct. The coloring, stratification and rubbly weathering debris strongly suggest the presence of the volcanic rocks and the massiveness, jointing and color of the granitic rocks give clue to their identity. Because the structural surface is still present locally on the red volcanic rocks, some tectonic structures can be identified.

The steeply dipping bedded rocks are not shown at all on the reference maps, but Beal indicates bedded sedimentary rocks are present in the outcrop area shown as granitic on the north edge of the map, just west of the Colorado River.



Figure 1. Gemini photograph of a portion of Baja, California.



Explanation



- 1. Wind blown sand (minor alluvium)
- 2. Alluvium. Includes litteral marine sediments in Gulf area.

1+3++

3. White sulfatized volcanic rock or intrusive rock.

4

4. Dark volcanic rock. Generally overlies red volcanic rock but in area to east, age relations unknown.

15

5. Red volcanic rock, locally coarsely jointed. Underlain by thin white tuff (?).

6. Grey granitoid rock, coarsely jointed.

7 78

7,8. Steeply dipping layered rocks, either sedimentary or metamorphic. 7 light colored; 8 dark colored.

Vin

Strike and dip fault in volcanic rock

Joint in granitoid rock

